



HEATING BLOCK DRY BATH

Environment Friendly Engineering Solution Company



In Association with SVCH-Technologii, Moscow (Russia)

www.kerone.com

ISO 9001-2008 | ISO 9001-2015 | EMS 14001 | OHSAS 18001

About Kerone

KERONE now renowned name in serving specialized need of customers with best quality and economical process Heating /cooling and drying products, manufactured in high quality environment by well trained and qualified workforce(special purpose machineries) .

KERONE is pioneer in application and implementation engineering with its vast experience and team of professionals. KERONE is devoted to serve the industry to optimize their operations both economically and environmentally with its specialized heating and drying solutions.


“Enhance the value of customer operation through our customer need centric engineering solution”

Mission

- To enhance the value of customer operation through our customer need centric engineering solution.
- We are committed to provide our customers, unique and best in class products in Industrial heating, drying and cooling segment, with strategic tie-up for the technical know-how with renowned leader in the industry specific segment.

Vision

- Turn into world leader in providing specialized, top-notch quality and ecological industrial heating, cooling and drying solution across the globe.
- To attain global recognition as best of quality and environment friendly engineering solution company.



Introduction to Heating Block Dry Bath

The drum dryer is very flexible in nature, its operation depends on the pressure of steam within the drum, speed of drum rotation, width of applicator and the ratio of drum speed rotations. All these parameters can be controlled/regulated independently without any dependency on each other.


Typical value of the drum dryer components ranges from steam pressure in drum from 29 to 115 psi, rotation speed can vary from 2 to 30 rpm, thin sheet applicator width can be designed from 0.05 to 0.5 mm, and the ratio of drum rotation speed is from 1 to 5.



3D View



Trusted Partner



Our Clients



UNIT I

B/10, Marudhar Industrial Estate, Goddev Fatak road, Bhayander(E), Mumbai-401105

Phone : +91-22-28150612/13/14

EMAIL

info@kerone.com | sales@kerone.com
marketing@kerone.com

UNIT II

Plot No. B-47, Addl. MIDC Anandnagar, Ambarnath (East), Dist. Thane- 421506

Phone : +91-251-2620542/43/44/45/46

WEBSITE

www.kerone.com | www.kerone.net
www.keroneindia.com